



---

# ABB Robotics industrial robots product range



---


**ABB Robotics as one of the world's leading robotics suppliers, is the only company with a comprehensive and integrated portfolio covering robots and Autonomous Mobile Robots solutions, designed and orchestrated by our value-creating software. We help companies of all sizes and sectors – from automotive to electronics and logistics – become more resilient, flexible and efficient. ABB Robotics supports customers in the transition towards the connected and collaborative factory of the future. The business area employs approximately 11,000 people at over 100 locations in approximately 53 countries.**

**[abb.com/robotics](http://abb.com/robotics)**



# Technology and application leadership

## “Robotics +” customer value stack



**47**

Years since we invented the first commercial microprocessor-controlled industrial robot.

**500,000+**

ABB robots shipped worldwide.

**1,500**

**people**

People working in our global service network.

---

# Product range

## Wide variety of robots to fit all needs

### Articulated robots

ABB's comprehensive 6-axis articulated robot portfolio delivers the ideal solutions for use in material handling, machine tending, welding, cutting, assembling, dispensing, and polishing applications. Best-in-class motion control enables increased speed and accuracy thanks to QuickMove and TrueMove.



### Collaborative robots

ABB's collaborative robots are made for a wide range of tasks, in operations of every size. They're easy to set up, program, operate, and scale. Built by industry-leading experts. And serviced by the broadest service network in the industry. Whatever you need, we're here to support every step of your automation journey.



### Paint robots

A complete range of paint robots to help you increase the productivity and quality of your paint shop operations. Designed for automotive interior & exterior painting, tiers, and general small & medium parts painting applications.



### Delta robots


ABB's Delta robot portfolio is the leader in state-of-the-art high-speed robotic picking and packing technology for use in the picking, packing, and packaging applications. Our delta robots offer the greatest flexibility in a compact footprint.





### SCARA robots

Quick, precise, and reliable, ABB's SCARA robots are ideal for customers requiring rapid cycle times, high precision, and high reliability for material handling, loading & unloading, picking & placing, and small part assembly & testing applications.



### Palletizer robots

ABB's 4-axis palletizer robots are the fastest in the market. Designed for shortening cycle times and raising productivity for end-of-line, multi-feed-in/-out, and bag palletizing.




---

## Customer benefits

Our response to the four mega trends (individualized consumer, labor skills shortages, sustainability, and uncertainty) is to create automation solutions that deliver four key customer values: productivity, quality, flexibility, and simplicity, all while doing that in a sustainable way and helping our customers to become more sustainable in their businesses.



Productivity



Flexibility



Simplicity



Quality

	Payload (kg)	Reach (m)	Pos. rep. (mm)	Mounting	Protection and special options	Axes	Controller	Remark
IRB 1010	1.5	0.37	0.01	Floor, inverted	Std: IP40	6	OmniCore	
IRB 1100	4 4	0.475 0.58	0.01	Any angle	Std: IP40 Option: Clean Room ISO 4, IP67	6	OmniCore	
IRB 1200	5 7	0.90 0.70	0.025 0.02	Any angle	Std: IP40. Option: Foundry Plus 2, IP67, Clean Room ISO 3, Food Grade Lubrication	6	IRC5 OmniCore	
IRB 1300	7 10 11 12	1.4 1.15 0.9 1.4	0.03 0.023 0.02 0.05	Any angle	Std: IP40 Option: IP67, Foundry Plus 2, Clean Room ISO 4	6	OmniCore	
IRB 1410	5	1.44	0.025	Floor	Std: IP54	6	IRC5	
IRB 1520ID	4	1.50	0.05	Floor, inverted	Std: IP40	6	IRC5	
IRB 1600	6 10	1.20/1.45 1.20/ 1.45	0.02 0.02/0.05	Floor, wall, inverted, tilted, shelf	Std: IP54 Option: Foundry Plus 2	6	IRC5	
IRB 1660ID	4 6	1.55	0.02	Floor, wall, inverted, tilted	Std: IP67 (Axis 4: IP40)	6	IRC5	
IRB 2400	10 16	1.55	0.03	Floor, inverted, wall for 10kg payload	Std: IP54 Option: Foundry Plus 2	6	IRC5	
IRB 2600	12/12 20	1.65/1.85 1.65	0.04	Floor, wall, inverted, titled, shelf	Std: IP67, IP54 (axis 4) Option: Foundry Plus 2	6	IRC5 OmniCore	
IRB 2600ID	15 8	1.85 2.00	0.026 0.023	Floor, wall, inverted, titled, shelf	Std: IP67 for base and lower arm. IP54 for upper arm	6	IRC5	
IRB 4400	60	1.96	0.05	Floor	Std: IP54	6	IRC5	
IRB 4400L	10	2.55	0.05		Option: IP67, Foundry Plus 2			
IRB 4600	20/40/ 45/60	2.5/2.55/ 2.05/2.05	0.05 - 0.06	Floor, inverted, tilted	Std: IP67 Option: Foundry Plus 2, Foundry Prime 2 for 60kg	6	IRC5 OmniCore	
IRB 5710	70/90/ 90/110	2.7*/2.3*/ 2.7/2.3	0.04-0.05	Floor, titled, inverted	Std: IP67 Option: Foundry Plus	6	OmniCore	*Available with LeanID
IRB 5720	90/125/ 155/180	3.0*/3.0 2.6*/2.6	0.04-0.05	Floor, titled, inverted	Std: IP67 Option: Foundry Plus	6	OmniCore	*Available with LeanID
IRB 6620	150	2.20	0.03	Floor, tilted, inverted	Std: IP54 Option: Foundry Plus 2 with IP67	6	IRC5	
IRB 6650S	90 125 200	3.90 3.50* 3.00*	0.13 0.14	Shelf	Std: IP67, Option: Foundry Plus 2. High pressure steam washable	6	IRC5 OmniCore	*Available with LeanID
IRB 6660	100 130 205	3.30 3.10 1.90	0.10 0.11 0.07	Floor	Std: IP67 Option: Foundry Plus 2	6	IRC5	
IRB 6700	150/155/175 200/205/235 245/300	3.20*/2.85*/3.05* 2.60*/2.80*/2.65* 3.00*/2.70*	0.06/0.08/0.05 0.05/0.05/0.05 0.05/0.06	Floor	Std: IP67 Option: Foundry Plus 2	6	IRC5 OmniCore	*Available with LeanID
IRB 6700INV	245/300	2.90*/2.60*	0.05/0.10	Inverted	Std: IP67 Option: Foundry Plus 2	6	IRC5 OmniCore	*Available with LeanID
IRB 6790	205/235	2.80/2.65	0.05	Floor	Std: IP69, Foundry Prime 3	6	IRC5	
IRB 7600	150/325/ 340/400/ 500	3.50/3.10*/ 2.80*/2.55*/ 2.55	0.19/0.10 0.27/0.19 0.08	Floor	Std: IP67 Option: Foundry Plus 2	6	IRC5	*Available with LeanID

Compliant with ISO 9283.

Pose repeatability




Articulated robots	Payload (kg)	Reach (m)	Pos. rep. (mm)	Mounting	Protection and special options	Axes	Controller	Remark
IRB 8700	550 800	4.20* 3.50*	0.08 0.05	Floor	Std: IP67 Option: Foundry Plus 2	6	IRC5	*Available with LeanID
<b>Cobots</b>								
CRB 15000 GoFa™	5	0.95	0.05	Any angle	Std: IP54	6	OmniCore	Functional safety Category 3, PL d
CRB 1100 SWIFTI™	4 4	0.475 0.58	0.01	Any angle	Std: IP40	6	OmniCore	Functional safety Category 3, PL d
CRB 1300 SWIFTI™	7/10/11	1.4/1.15/0.9	0.03/0.023/0.02	Any angle	Std: IP40	6	OmniCore	Functional safety Category 3, PL d
IRB 14000 YuMi®	0.50	0.559	0.02	Table	Std: IP30 and Clean Room ISO 5	14	Embedded IRC5	Functional safety Category B, PL b
IRB 14050 YuMi®	0.50	0.559	0.02	Any angle	Std: IP30 and Clean Room ISO 6	7	OmniCore	Functional safety Category 3, PL d
<b>Parallel robots</b>								
IRB 390 FlexPacker®	10 15	1.3 1.3	0.08 0.01	Inverted	Std: IP67, FGL	5 4	IRC5	
IRB 360 FlexPicker®	1 3 6 8	1.13/1.60 1.13 1.60 1.13	0.09/0.03 0.06 0.03 0.05	Inverted	Std: IP54/67/69K, FGL Option: Clean Room, Wash-down, Stainless	4	IRC5 or OmniCore	
IRB 365 FlexPicker®	1.5	0.8 1.1 1.3	0.05	Inverted	Std: IP54. FGL	4	OmniCore	
<b>SCARA robots</b>								
IRB 910INV	1 (max 3) 3 (max 6)	0.35 0.55	0.01 0.01	Inverted	Std: IP30. Option: Clean Room ISO 1, IP54	4	OmniCore	
IRB 920T IRB 920	6	0.45/0.55/ 0.65	0.01-0.02	Floor	Std: IP 30 Option: IP54, Clean Room ISO 5	4	OmniCore	
<b>Paint robots</b>								
IRB 52	7	1.20/1.45	0.15	Floor, wall, inverted, tilted	Std: IP66, Ex	6	IRC5P	
IRB 5500-22 IRB 5500-23 IRB 5500-25	13	2.97	0.15	Floor, wall, inverted, tilted Elevated	Std: IP66, Ex	6 7 7	IRC5P	
IRB 5500-27	13	2.97	0.15	Wall, floor, inverted	Std: IP66, Ex	7	IRC5P	
IRB 5510	13	2.56	0.15	Floor	Std: IP66, Ex	6	IRC5P	
IRB 5350	7	1.35 Rail travel length: 3-10	0.15	Floor, rail	Std: IP66, Ex	3/4	IRC5P	
<b>Palletizing robots</b>								
IRB 460	110	2.40	0.20	Floor	Std: IP67	4	IRC5 OmniCore	
IRB 660	180 250	3.15	0.05	Floor	Std: IP67	4	IRC5 OmniCore	
IRB 760	450	3.18	0.05	Floor	Std: IP67	4	IRC5 OmniCore	
<b>Hygienic robots</b>								
IRB 1200 Hygienic	5 7	0.90 0.70	0.025 0.02	Any angle	Wipe down, wash down with cover. Ax IS6 P69K, max. 30bar	6	IRC5 OmniCore	

Compliant with ISO 9283.

Pose repeatability

# OmniCore™ robot controllers offer faster, scalable and more energy efficient manufacturing

	<b>E10</b> Ultra-slim	<b>C30</b> Compact	<b>C90XT</b> Rugged yet compact	<b>V250XT</b> Versatile
 <b>Applicable robots</b>	 Articulated  SCARA	 Cobot  Delta  Articulated  SCARA	 Articulated  SCARA	 Articulated  Palletizer
 <b>Designed to power robots with payloads</b>	Up to IRB 1300	Up to IRB 1600	Up to IRB 1600	Up to IRB 6700
 <b>Width x Depth x Height</b>	449 x 338 x 89 mm	449 x 443 x 170 mm	500 x 355 x 520 mm	650 x 480 x 960 mm
 <b>Applicable industries</b>	Electronics General Industries	Electronics Food & Beverage General Industries	Electronics Food & Beverage General Industries	Automotive Food & Beverage Electronics General Industries Logistics



IRB 1300 class-leading powerful performance in a compact package




IRB 1010 smallest industrial robot with class-leading payload and accuracy






Up to **20%**  
lower power consumption and energy saving.  
\*Compared with IRC5



**1000+**  
scalable functions, e.g. RobotWare, SafeMove, TrueMove, QuickMove, stop position simulation, Externally Guided Motion, Wizard Easy Programming, Robot Control Mate, IoT gateway, and vision.



Up to **25%**  
faster than previous robots.



Built-in connectivity to Connected Services.



—  
IRB 365 FlexPicker® five axis Delta robot fastest for lightweight product picking



—  
IRB 5710, IRB 5720 large robots for material handling

# Key innovations


## Expertise and support you can rely on

ABB Robotics is a pioneer in robots, software and advanced digital services, and has supplied many breakthrough innovations since introducing the world's first micro-processor-controlled robot in 1974.

- **1974** IRB 6, the world's first micro-processor-controlled robot
- **1979** IRB 60 the world's first electrical robot for spot welding
- **1983** First joystick FlexPendant for robot control
- **1986** IRB 2000, first robot driven by AC motors
- **1994** Dynamic motion control with TrueMove and QuickMove
- **1995** The world's highest speed delta robot
- **1998** RobotStudio, first offline programming tool
- **2001** IRB 7600, first industrial robot to handle 500 kg
- **2004** MultiMove, coordinated multiple (up to four) robot control
- **2005** Remote Services, a decade before the term 'internet of things' was known
- **2010** IRB 460 - The fastest palletizing robot in the world
- **2015** YuMi, the world's first truly collaborative robot; ABB Connected Services
- **2018** OmniCore; world's first connected paint atomizer
- **2021** GoFa and SWIFTI, the next generation of cobots
- **2022** IRB 5710 and IRB 5720 for EV battery production

IRB 365 FlexPicker®, five axis and fastest-in-class

IRB 1010, ABB smallest industrial robot





---

# Strongly positioned to benefit from market dynamics

## **Broadest portfolio amongst our peers**

As the only player with both a strong robotics and automatio portfolio in-house, we are in an ideal position to provide our customers with flexible automation solutions from individual machines to whole plants. We have a balanced portfolio of products, cells and solutions, systems and services. Integrated solutions like machine-centric robotics and digital services open new high growth applications.

## **Innovation strength**

We are expanding our portfolio of products (e. g. robots and controllers), cells and systems (e. g. flexible manufacturing systems). We focus especially on our software and digital portfolio. We already monitor ~9000 installed robots remotely. We have established incubators to accelerate the developments in artificial intelligence, digital factory automation, collaborative robotics and healthcare.

## **A true global player**

We are very well positioned to serve our customers globally. We have local sales, service and application engineers in all relevant markets, and we produce robots in Sweden, China and the USA. With six R&D centers in Europe, Asia and the USA, we can tap into talent pools across the globe and do research close to all key markets.

## **Applied domain expertise**

Deep domain know-how is the base for the development of value creating solutions to serve our customers. Through the alignment of our organization with customer segments, we are best positioned to serve their specific needs.





---

[www.abb.com/robotics](http://www.abb.com/robotics)

 [facebook.com/ABBRobotics](https://facebook.com/ABBRobotics)

 [twitter.com/ABBRobotics](https://twitter.com/ABBRobotics)

 [youtube.com/ABBRobotics](https://youtube.com/ABBRobotics)

 [linkedin.com/showcase/  
abbrobotics](https://linkedin.com/showcase/abbrobotics)

**Additional information**

We reserve the right to make technical changes or modify the contents of this document without prior notice. With regard to purchase orders, the agreed particulars shall prevail. ABB AG does not accept any responsibility whatsoever for potential errors or possible lack of information in this document.

We reserve all rights in this document and in the subject matter and illustrations contained therein. Any reproduction, disclosure to third parties or utilization of its contents – in whole or in parts – is forbidden without prior written consent of ABB.

---

**View the brochure online**

