


Februar
2023

KUHINJSKE HAUBE



JAKKA®

www.jakkagroup.com

Podaci u katalogu su informativnog karaktera. Jakka Group zadržava pravo promene cena i podataka bez prethodne najave. Za više informacija, pre konačne kupovine, kontaktirajte našu prodajnu službu.




Sadržaj

ZIDNE HAUBE (JZH) WALL MOUNTED HOOD (JZH)	3
ZIDNE HAUBE SNACK (JZHS) SNACK HOOD (JZHS)	4
PRAVOUGAONE ZIDNE HAUNE (JPZH) WALL MOUNTED CUBIC HOOD (JPZH)	6
OSTRVSKE HAUBE (JOH) ISLAND HOODS (JOH)	8
PRAVOUGAONE OSTRVSKE HAUBE (JPOH) ISLAND CUBIC HOOD (JPOH)	10
DODATNA OPREMA ACCESSORIES	12

Kuhinjske haube koje se nalaze u našoj ponudi, prema tipu konstrukcije, dele se na:

- zidne,
- ostrvske
- pravougaone (univerzalne) haube.

Sve haube pravimo od visoko kvalitetnog nerđajućeg čelika AISI304 ili AISI430. Na zahtev kupca, haube pravimo u svim dimenzijama i cene za njih možete da dobijete koristeći ovaj cenovnik ili kalkulator koji se nalazi na našem sajtu na adresi <http://www.jakkagroup.com/sr/j6.html>, a u tabelama u ovom cenovniku su izvučene standardne dimenzije za tipove hauba koje imamo u ponudi.



- Haube duže od 3.960mm izrađuju se iz dva ili više delova, u zavisnosti od svih dimenzija, kako radi lakšeg unošenja istih u prostoriju ugradnje, tako i zbog ograničenja u samom proizvodnom procesu.

- Pomoćni nosači-ušice se ugrađuju na ostrvske haube, ali mogu da se ugrade i na ostale tipove hauba ukoliko to kupac zatraži.

- Prirubnice za kanal se izrađuju ili u skladu sa našim preporukama ili u dogovoru sa kupcem (broj i dimenzije otvora), a njihova izrada ulazi u cenu haube. Takođe, po želji može da se naprave i pravougaone prirubnice.

- Uz sve haube se dobija ili posuda za sakupljanje ili ugrađuje cev za odvođenje masti, po želji kupca. Ako je reč o posudi, ona se postavlja ispod otvora koji sam kupac pravi na uglu kanala gde se sakuplja mast, a ako je reč o odvodnoj cevi, ona se postavlja na zadnjem levom uglu, s tim da kupac može da zatraži i drugo mesto za njenu ugradnju.

- Sve haube se prave sa nosačima za filtere, ali ako kupac ne želi iste, potrebno je samo da to napomene.





- Unutrašnje osvetljenje može da se ugradi u sve tipove hauba i spada u dodatnu opremu, tj. ne ulazi u osnovnu cenu haube. Osvetljenje je u vidu hermetički zatvorenog rotirajućeg reflektora, snage 35W, koji se postavlja na svaki dužni metar (1kom na 1m iliti prema formuli: dužina haube -1=broj reflektora, osim kod ostrvskih hauba gde ide $(\text{dužina haube}-1) \times 2 = \text{broj reflektora}$). Takođe, kupac sam organizuje povezivanje istog na izvor napajanja.
- Na eko haube, kao dodatna oprema, mogu da se ugrade rotacioni usmerivači za doveden svež vazduha pomoću kojih može da se menja smer strujanja vazduha, i na taj način spreči prodor dima u prostoriju. Kod običnih eko hauba, svež vazduh se ubacuje pod uglom od 90°, odnosno vertikalno naniže, ili pod uglom od 45° na Vaš zahtev.

•NAPOMENA:

Prilikom odabira hauba, na kupcu je da proveri da li hauba koju želi da ugradi može da prođe kroz otvor (ulazna vrata, prozor ili otvor u zidu) u prostoriju u koju će ista biti ugrađena. To važi i za standardne i za haube koje su napravljene po zahtevu kupca, jer naknadne reklamacije zbog ovog problema ne prihvatamo.



ZIDNE HAUBE (JZH) WALL MOUNTED HOOD

Materijal / Material


Nerđajući čelik
Stainless steel

Debljina čelične ploče / Steel sheet thickness

0,8 mm

Vrste čelika / Types of steel

AISI430 / AISI304



TEHNIČKI PODACI


- Cene možete pronaći u kalkulatoru na sajtu.
- Haube dužine preko 3,96m, se izrađuju iz dva ili više delova. Kod izbora hauba većih dimenzija, obratiti pažnju na dimenzije otvora ili vrata kroz koji treba da se unese.
- Osim standardnih dimenzija datih u cenovniku, moguće je napraviti haube i filtere u proizvoljnim dimenzijama po izboru kupca. Cene za proizvoljne, haube se mogu dobiti preko kalkulatora na našem sajtu.
- Izrada prirubnica za kanal(e) je uračunata u cenu (broj i veličina otvora u skladu sa potrebama korisnika).
 - Sve haube imaju nosače za filtere (osim ako se drugačije ne naglasi).
 - Nosači haube za plafonsko kačenje se besplatno ugrađuju na zahtev kupca.
- U haube se može ugraditi osvetljenje (pogledajte odeljak dodatna oprema u ovom cenovniku).
 - Uz sve haube dobija se posudica za sakupljanje masti ili slavinica za odliv masti, ne i oba.
 - Kod zidnih EKO hauba, bez rotirajućeg usmerivača, mlaz dovodnog vazduha je pod uglom od 90° odnosno vertikalno naniže, ili pod uglom od 45° na Vaš zahtev.

TECHNICAL DATA


- Prices can be found in calculator on web site.
- Hood longer than 3.96m, are made of two or more parts. For all hoods with bigger dimensions, pay attention on hole or door dimensions of room.
- Besides standard dimensions in pricelist, both hoods and filters can be made in any dimensions. Prices for custom hoods can be calculated in web calculator on our web page.
 - Flanges included in price (quantity and dimensions of flanges according to customer's demands).
 - All hoods are equipped with filter carriers (without carriers on request).
 - Hood hangers for ceiling installation are free and on request.
- Light can be added in all hoods (price can be found in additional equipment section of this pricelist).
 - All hoods have their own grease collector or grease exit pipe, but not both.
- On compensation wall mounted hoods, without rotating louvre, angle of intake air stream is 90° vertically down, or 45° degree angle on request.

TEHNIČKI PODACI TECHNICAL DATA


JZH



JZEH



JZEH +
rotirajući usmerivač



JAKKA zidne haube
JZH

JAKKA zidne eko haube
JZEH

JAKKA zidne eko haube
JZEH + rotirajući usmerivač

Dimenzije DxŠxV (mm)	Dovodni otvor (mm)	Odvodni otvor (mm)	Težina (kg)	Težina (kg)	Težina (kg)
1000x900x500	2 x Ø150	Ø200	19,9	24,2	24,2
1500x900x500	2 x Ø150	Ø200	26,7	33,3	33,3
2000x900x500	2 x Ø200	Ø250	33,6	42,4	42,4
2500x900x500	2 x Ø200	2 x Ø250	40,5	51,4	51,4
3000x900x500	2 x Ø250	2 x Ø300	47,3	60,5	60,5
3500x900x500	2 x Ø250	2 x Ø300	54,2	69,5	69,5
3960x900x500	3 x Ø250	3 x Ø300	60,5	77,9	77,9

*Dimenzije odvodnog otvora se odnose na sve haube

*Dimenzije dovodnog otvora se odnose samo na EKO haube





ZIDNE HAUBE SNACK (JZHS) SNACK HOOD

Materijal / Material


Nerđajući čelik
Stainless steel

Debljina čelične ploče / Steel sheet thickness

0,8 mm

Vrste čelika / Types of steel

AISI430 / AISI304



TEHNIČKI PODACI


- Cene možete pronaći u kalkulatoru na sajtu.
 - Haube dužine preko 3,96m, se izrađuju iz dva ili više delova.
- Kod izbora hauba većih dimenzija, obratiti pažnju na dimenzije otvora ili vrata kroz koji treba da se unese.
- Osim standardnih dimenzija datih u cenovniku, moguće je napraviti haube i filtere u proizvoljnim dimenzijama po izboru kupca.
 - Cene za proizvoljne haube, se mogu dobiti preko kalkulatora na našoj web prezentaciji.
- Izrada prirubnica za kanal(e) je uračunata u cenu (broj i veličina otvora u skladu sa potrebama korisnika).
 - Sve haube imaju nosače za filtere (osim ako se drugačije ne naglasi).
 - Nosači haube za plafonsko kačenje se besplatno ugrađuju na zahtev kupca.
 - U haube se može ugraditi osvetljenje (pogledajte odeljak dodatna oprema u ovom cenovniku).
 - Uz sve haube dobija se posudica za sakupljanje masti ili slavica za odliv masti, ne i oba.
 - Kod zidnih EKO hauba, bez rotirajućeg usmerivača, mlaz dovodnog vazduha je pod uglom od 90°, odnosno vertikalno naniže, ili pod uglom od 45° na Vaš zahtev.

TEHCHNICAL DATA


- Prices can be found in calculator on web site.
 - Hood longer than 3.96m, are made of two or more parts.
- For all hoods with bigger dimensions, pay attention on hole or door dimensions of room.
- Besides standard dimensions in pricelist, both hoods and filters can be made in any dimensions.
 - Flanges included in price (quantity and dimensions of flanges according to customer's demands).
 - All hoods are equipped with filter carriers (without carriers on request).
 - Hood hangers for ceiling installation are free and on request.
 - Light can be added in all hoods (price can be found in additional equipment section of this pricelist).
 - All hoods have their own grease collector or grease exit pipe, but not both.
 - On compensation wall mounted hoods, without rotating louvre, angle of intake air stream is 90°, vertically down, or 45° degree angle on request.

TEHNIČKI PODACI TECHNICAL DATA


JZHS Snack



JZEHS Snack



JZEHS Snack + rotirajući usmerivač



JAKKA zidne haube
JZHS Snack

JAKKA zidne eko haube
JZEHS Snack

JAKKA zidne eko haube
**JZEHS Snack + rotirajući
usmerivač**

Dimenzije DxŠxV (mm)	Dovodni otvor (mm)	Odvodni otvor (mm)	Težina (kg)	Težina (kg)	Težina (kg)
1000x700x500	Ø150	Ø200	15,3	18,9	18,9
1500x700x500	Ø150	Ø200	20,9	26,3	26,3
2000x700x500	Ø200	Ø250	26,6	33,8	33,8
2500x700x500	2 x Ø200	2 x Ø250	32,3	41,3	41,3
3000x700x500	2 x Ø250	2 x Ø300	37,9	48,7	48,7
3500x700x500	2 x Ø250	2 x Ø300	43,6	56,2	56,2
3960x700x500	3 x Ø250	3 x Ø300	48,8	63,1	63,1

*Dimenzije odvodnog otvora se odnose na sve haube
*Dimenzije dovodnog otvora se odnose samo na EKO haube





PRAVOUGAONE ZIDNE HAUNE (JPZH) *WALL MOUNTED CUBIC HOOD*

Materijal / Material

Nerđajući čelik
Stainless steel

Debljina čelične ploče / Steel sheet thickness

0,8 mm

Vrste čelika / Types of steel

AISI430 / AISI304



TEHNIČKI PODACI


- Cene možete pronaći u kalkulatoru na sajtu.
- Haube dužine preko 3,96m, se izrađuju iz dva ili više delova. Kod izbora hauba većih dimenzija, obratiti pažnju na dimenzije otvora ili vrata kroz koji treba da se unese.
- Osim standardnih dimenzija datih u cenovniku, moguće je napraviti haube i filtere u proizvoljnim dimenzijama po izboru kupca. Cene za proizvoljne haube se mogu dobiti preko kalkulatora na našoj web prezentaciji.
 - Izrada priрубnica za kanal(e) je uračunata u cenu (broj i veličina otvora u skladu sa potrebama korisnika).
 - Sve haube imaju nosače za filtere (osim ako se drugačije ne naglasi).
 - Nosači haube za plafonsko kačenje se besplatno ugrađuju na zahtev kupca.
 - U haube se može ugraditi osvetljenje (pogledajte odeljak dodatna oprema u ovom cenovniku).
 - Uz sve haube dobija se posudica za sakupljanje masti ili slavica za odliv masti, ne i oba.
- Kod zidnih EKO hauba, bez rotirajućeg usmerivača, mlaz dovodnog vazduha je pod uglom od 90° odnosno vertikalno naniže, ili pod uglom od 45° na Vaš zahtev.

TEHCHNICAL DATA


- Prices can be found in calculator on web site.
- Hood longer than 3.96m, are made of two or more parts. For all hoods with bigger dimensions, pay attention on hole or door dimensions of room.
- Besides standard dimensions in pricelist, both hoods and filters can be made in any dimensions. Prices for custom hoods can be calculated in web calculator on our web page.
- Flanges included in price (quantity and dimensions of flanges according to customer's demands).
 - All hoods are equipped with filter carriers (without carriers on request).
 - Hood hangers for ceiling installation are free and on request.
- Light can be added in all hoods (price can be found in additional equipment section of this pricelist).
 - All hoods have their own grease collector or grease exit pipe, but not both.
- On compensation wall mounted hoods, without rotating louvre, angle of intake air stream is 90° vertically down, or 45° degree angle on request.

TEHNIČKI PODACI TECHNICAL DATA


JPZH



JPZEH



JPZEH + rotirajući usmerivač



JAKKA pravougaone haube
JPZH

JAKKA pravougaone eko haube
JPZEH

JAKKA pravougaone eko haube
JPZEH + rotirajući usmerivač

Dimenzije DxŠxV (mm)	Dovodni otvor (mm)	Odvodni otvor (mm)	Težina (kg)	Težina (kg)	Težina (kg)
1000x900x500	2 x Ø150	Ø200	21,7	26	26
1500x900x500	2 x Ø150	Ø200	29,2	35,6	35,6
2000x900x500	2 x Ø200	Ø250	36,7	45,6	45,3
2500x900x500	2 x Ø200	2 x Ø250	44,3	55	55
3000x900x500	2 x Ø250	2 x Ø300	51,8	64,6	64,6
3500x900x500	2 x Ø250	2 x Ø300	59,3	74,3	74,3
3960x900x500	3 x Ø250	3 x Ø300	66,2	83,2	83,2

*Dimenzije odvodnog otvora se odnose na sve haube
*Dimenzije dovodnog otvora se odnose samo na EKO haube





OSTRVSKE HAUBE (JOH) ISLAND HOODS

Materijal / Material


Nerđajući čelik
Stainless steel

Debljina čelične ploče / Steel sheet thickness

0,8 mm

Vrste čelika / Types of steel

AISI430 / AISI304



TEHNIČKI PODACI


- Cene možete pronaći u kalkulatoru na sajtu.
- Haube dužine preko 3,96m, se izrađuju iz dva ili više delova. Kod izbora hauba većih dimenzija, obratiti pažnju na dimenzije otvora ili vrata kroz koji treba da se unese.
- Osim standardnih dimenzija datih u cenovniku, moguće je napraviti haube i filtere u proizvoljnim dimenzijama po izboru kupca. Cene za proizvoljne haube se mogu dobiti preko kalkulatora na našoj web prezentaciji.
 - Izrada prirubnica za kanal(e) je uračunata u cenu (broj i veličina otvora u skladu sa potrebama korisnika).
 - Sve haube imaju nosače za filtere (osim ako se drugačije ne naglasi).
 - Nosači haube za plafonsko kačenje se besplatno ugrađuju na zahtev kupca.
 - U haube se može ugraditi osvetljenje (pogledajte odeljak dodatna oprema u ovom cenovniku).
 - Uz sve haube dobija se posudica za sakupljanje masti ili slavonica za odliv masti, ne i oba.
- Kod zidnih EKO hauba, bez rotirajućeg usmerivača, mlaz dovodnog vazduha je pod uglom od 90° odnosno vertikalno naniže, ili pod uglom od 45° na Vaš zahtev.

TEHCHNICAL DATA


- Prices can be found in calculator on web site.*
- Hood longer than 3.96m, are made of two or more parts. For all hoods with bigger dimensions, pay attention on hole or door dimensions of room.
 - Besides standard dimensions in pricelist, both hoods and filters can be made in any dimensions. Prices for custom hoods can be calculated in web calculator on our web page.
 - Flanges included in price (quantity and dimensions of flanges according to customer's demands).
 - All hoods are equipped with filter carriers (without carriers on request).
 - Hood hangers for ceiling installation are free and on request.
 - Light can be added in all hoods (price can be found in additional equipment section of this pricelist).
 - All hoods have their own grease collector or grease exit pipe, but not both.
 - On compensation wall mounted hoods, without rotating louvre, angle of intake air stream is 90° vertically down, or 45° degree angle on request.

TEHNIČKI PODACI TECHNICAL DATA


JOH



JOEH



JOEH + rotirajući usmerivač



JAKKA ostrvske haube
JOH

JAKKA ostrvske eko haube
JOEH

JAKKA ostrvske eko haube
JOEH + rotirajući usmerivač

Dimenzije DxŠxV (mm)	Dovodni otvor (mm)	Odvodni otvor (mm)	Težina (kg)	Težina (kg)	Težina (kg)
1500x1800x500	Ø200	Ø250	45,2	54,9	54,9
2000x1800x500	4 x Ø180	2 x Ø250	56,1	69	69
2500x1800x500	4 x Ø200	2 x Ø300	67	83,2	83,2
3000x1800x500	4 x Ø250	2 x Ø350	77,8	97,3	97,3
3500x1800x500	6 x Ø200	3 x Ø300	88,7	111,4	111,4
3960x1800x500	6 x Ø250	3 x Ø350	98,7	124,4	124,4

*Dimenzije odvodnog otvora se odnose na sve haube
*Dimenzije dovodnog otvora se odnose samo na EKO haube





PRAVOUGAONE OSTRVSKE HAUBE (JPOH) ISLAND CUBIC HOOD

Materijal / Material


Nerđajući čelik
Stainless steel

Debljina čelične ploče / Steel sheet thickness

0,8 mm

Vrste čelika / Types of steel

AISI430 / AISI304



TEHNIČKI PODACI


- Cene možete pronaći u kalkulatoru na sajtu.
- Haube dužine preko 3,96m, se izrađuju iz dva ili više delova. Kod izbora hauba većih dimenzija, obratiti pažnju na dimenzije otvora ili vrata kroz koji treba da se unese.
- Osim standardnih dimenzija datih u cenovniku, moguće je napraviti haube i filtere u proizvoljnim dimenzijama po izboru kupca. Cene za proizvoljne haube se mogu dobiti preko kalkulatora na našoj web prezentaciji.
 - Izrada prirubnica za kanal(e) je uračunata u cenu (broj i veličina otvora u skladu sa potrebama korisnika).
 - Sve haube imaju nosače za filtere (osim ako se drugačije ne naglasi).
 - Nosači haube za plafonsko kačenje se besplatno ugrađuju na zahtev kupca.
 - U haube se može ugraditi osvetljenje (pogledajte odeljak dodatna oprema u ovom cenovniku).
 - Uz sve haube dobija se posudica za sakupljanje masti ili slavinica za odliv masti, ne i oba.
- Kod zidnih EKO hauba, bez rotirajućeg usmerivača, mlaz dovodnog vazduha je pod uglom od 90° odnosno vertikalno naniže, ili pod uglom od 45° na Vaš zahtev.

TEHCHNICAL DATA


- Prices can be found in calculator on web site.
- Hood longer than 3.96m, are made of two or more parts. For all hoods with bigger dimensions, pay attention on hole or door dimensions of room.
- Besides standard dimensions in pricelist, both hoods and filters can be made in any dimensions. Prices for custom hoods can be calculated in web calculator on our web page.
- Flanges included in price (quantity and dimensions of flanges according to customer's demands).
 - All hoods are equipped with filter carriers (without carriers on request).
 - Hood hangers for ceiling installation are free and on request.
- Light can be added in all hoods (price can be found in additional equipment section of this pricelist).
 - All hoods have their own grease collector or grease exit pipe, but not both.
- On compensation wall mounted hoods, without rotating louvre, angle of intake air stream is 90° vertically down, or 45° degree angle on request.

TEHNIČKI PODACI TECHNICAL DATA


JPOH



JPOEH



JPOEH + rotirajući usmerivač



JAKKA pravougaone
ostrvske haube
JPOH

JAKKA pravougaone
ostrvske eko haube
JPOEH

JAKKA ostrvske eko haube
JPOEH + rotirajući usmerivač

Dimenzije DxŠxV (mm)	Dovodni otvor (mm)	Odvodni otvor (mm)	Težina (kg)	Težina (kg)	Težina (kg)
1500x1800x500	Ø200	Ø250	44,5	57,4	57,4
2000x1800x500	4 x Ø180	2 x Ø250	54,9	72	72
2500x1800x500	4 x Ø200	2 x Ø300	65,3	86,7	86,7
3000x1800x500	4 x Ø250	2 x Ø350	75,7	101,4	101,4
3500x1800x500	6 x Ø200	3 x Ø300	86,1	116,1	116,1
3960x1800x500	6 x Ø250	3 x Ø350	95,7	129,6	129,6

*Dimenzije odvodnog otvora se odnose na sve haube
*Dimenzije dovodnog otvora se odnose samo na EKO haube





FILTERI *FILTERS*



- **Dimenzije / Dimension** : 500mmx500mmx30mm

Mogućnost pravljenja filtera u odgovarajućim dimenzijama
When needed, filters are made in specific dimensions

OSVETLJENJE *LIGHTING*




- **Po narudžbini**

Za zidne, snack i pravougaone haube, preporuka je:
jedna sijalica po dužnom metru (sijalice su od 35W).
Za ostrvske haube, preporuka je:
dve sijalice po dužnom metru (sijalice su od 35W).


- **Special order**

*For wall mounted, snack and rectangular hoods, we suggest:
one light per 1m (lamp consumes 35W).
For central hoods, recommendation is:
two lights per 1m (lamp consumes 35W).*

2022



Bulevar Zorana Đinđića 80,
11070 NOVI BEOGRAD 

+381 11 2600 901 
+381 11 2600 906

jakkagroup@jakkagroup.com 

www.jakkagroup.com 