

TECHNICAL DETAILS:

1 x technical room/container dimensions: 2400mm x 5000mm x 2600mm

The construction of the technical room is 3mm thick STAINLESS STEEL with reinforced bearing capacity.

The floor from water-resistant OBS panels + aluminum sheet

Ceiling from sandwich panels

Walls made of sandwich panels insulated with polyurethane, thickness 50 mm, color RAL 7106 (RAL 7106 on request)

WASHING TECHNOLOGY

High pressure pumps HAWK, Italy

Electric motors of European manufacturers that meet minimum quality and energy efficiency standards IE1 to IE3. Motors 3 x 2.2 kw, 945 rpm

Flexible connection between pump and motor.

Antivibrators for high pressure pumps

Low pressure water distribution with DAB, EBARA, PEDROLO pumps. Energy efficiency standard IE3

ACV HEATMASTER boiler/hot water generator, Belgium.

Power depending on the capacity of the cabins. High performance combined boiler.

The design of the tank in the tank is made of stainless steel. Anti-Legionellae: hot water is constantly under high temperature.

Fully insulated in rigid polyurethane foam. Compliant with European energy efficiency standards.

Control panel with control thermostat, temperature and pressure indicator, time, manual adjustment of the upper limit of temperature and pressure.

Winter and summer mode.

EcoFlam Italy oil or gas burner

Duplex water softener, Pentair tanks, with CLACK - US control valve

Inlet water filter

Electronic water level switches in tanks

Polyethylene tank ELBI, ITALY with a total capacity of 3000l (1000l softened water, 2000l osmosis)

Osmosis min 2*250L/h.

Osmosis membrane regeneration program.

Central detergent mixer with regulator, made of stainless steel.

ODE solenoid valves, Italy

Central wax distributor EMEC, Italy

Central distributor of liquid detergent, EMEC Italy

Payment stations integrated into the structure, made of polished stainless steel. Double locking mechanism.

Comestero RM5 Coin Comparator - UK

Illuminated anti-vandal keys

Digital timer of remaining time or money

Optional at the payment booth:

- RFID loyalty card reader
- Acceptance of paper money at the payment station

Stainless steel swivel arm with MTM ITALY high pressure swivel joint

Stainless steel holder for the washing tool

Two-stage servo washing gun, patented, ST 2600, Germany

Stainless steel washing pipe 70cm Tecomec, Italy, with nozzle protection and ceramic nozzle 4040 Tecomec Italy.

Stainless steel clamps on partition panels

LED cabin lighting, OSRAM.

Structure from hot galvanized profiles with a thickness of 5mm, with galvanized substructure for coating with aluminum composite panels. Integrated gutters.

Aluminum composite panel coating according to the customer's choice (from the RAL catalog provided by the manufacturer)

Led decorations and inscriptions (the price includes the inscription "CAR WASH", "OO-24" "BOX NO" and an inscription with the name of the customer's brand)

Partitions made of sandwich panels framed by galvanized profiles.

ELECTRIC CABINET AND TOUCH PANEL, ONLINE ACCESS

Integrated electrical cabinet with touchscreen for work control.

Menu under the code in the control panel.

All data on status, time, traffic, wash settings, time and charge settings, fault notifications, wash system status are on the screen, and can be followed or changed online.

Full control over all data and commands via remote access (internet access provided by the investor)

Electrical equipment in cabinet SHRACK, Austria

CURRENCY EXCHANGE

The exchanger housing is made of polished stainless steel.

NV10 bill acceptor UK (NV9 with surcharge bill collector)

Hopper Suzzohapp UK.

Top-up of RFID loyalty cards through the exchanger (optional). Top-up is possible with cash.

integration of the printer of fiscal invoices according to the request

Full access to the online currency exchange.

Online top-up of RFID loyalty cards for fleets and legal entities paying via bank account

EXTERNAL EQUIPMENT

Electric vacuum cleaner

Turbo dryer

Windshield washer fluid dispenser

Tire shine dispenser

Indoor fragrance dispenser

2in1, Vacuum cleaner + tire shine

Features:

Housings made of polished or brushed stainless steel

Coin or paper money acceptors (optional)

RFID loyalty card readers (optional)

digital remaining time indicator

Vacuuming turbine

Central command connection to technical room, thus enabling central control and online access.